




IJITCE

ISSN 2347- 3657

International Journal of Information Technology & Computer Engineering

www.ijitce.com



Email : ijitce.editor@gmail.com or editor@ijitce.com

Designing of Circular Micro-Strip Patch Antenna by WI-MAX

¹*JOGU PRAVEEN, M.Tech*

²*P.SHANKAR, M.Tech*

³*BURRI NARENDER REDDY, M.Tech*

⁴*CHEEKATYALA ANJAN KUMAR, M.Tech*

ABSTRACT: Micro strip antennas have become very popular in the fields of cell and cell communications, following RFID programs with the appearance of various simulation devices. Novice MSA prototypes are being practiced in considered one-of-a-kind patch configurations, thought at known microwave frequencies of interest regarding exceptional substrate or high-quality strate mixtures. The overall efficiency patterns of the 3.5 GHz round patch micro strip reported antenna suitable for Wi MAX packages are investigated in this research.

Antenna, Microstrip, Mobile, and so forth.

1. INTRODUCTION

In propagation, the antenna acts as a transducer by converting electric power currents to em-waves, and when a sign is acquired, the antenna works as a transducer by converting em-waves to electric currents. Antennas are very important in the function of contact. Antenna types include the parabolic reflector, patch antenna, slot antenna, folded dipole antenna, and others. Each antenna type is suitable for its intended purpose and location.

There are several various kinds of antennas in use these days, including the spherical micro strip patch antenna. CMP A is made up of a circular shape that radiates information on one portion of the substrate with an amazing aspect of the floor plane. CMPA has been fed with a rich resource of methods such as feeding elements and feeding coaxial probe. CMPA has been developed to utilize Rogers RT/duroid5880 ($r= 2.2$, $h= 1.588$ mm), Rogers RT/duroid5880 ($r= 2.2$, $h= 2.87$ mm), and FR4

epoxy substrates ($r= 4.4$, $h= 2.87$ mm) independently for each feeding method. The round patch antenna cavity model is evaluated in text books[1-4], and Anders G. Derneryd[2] backs it up. At 10 GHz, Manoj singh et al[6] used a substratum material with a relative permittivity (ϵ_r) of 3.02 and a thickness (h) of 0.762 mm in a micro strip line feed (place feed) spherical patch antenna design. The constructed antenna has a crossover absence of -24 dB (measured) at 10 GHz. The antenna recorded a return deficit of -29.29 dB at 10.022 GHz after being designed and simulated using an HFSS method using comparable measurements, as stated in the literature[6]. F.A bound et al[8] presented a hole position model assessment of the circular patch antenna supplied by coaxial probe method, CMPA resonant frequencies found utilizing substrate material with .65 relative permittivity and 1.5875 mm thickness, and remarkable radius values.

Assistant Professor, jpraveen.pec@gmail.com

Assistant Professor, shankardvk48@gmail.com

Assistant Professor, narendarburri@gmail.com

Assistant Professor, anjankumarcheekatla@gmail.com

*Department:ECE
Nagole University Engineering and Technology Hyderabad*

Debatosh Guha[9] reported theoretical and experimental values of CMPA resonant frequencies (supplied by probe feed) using a substrate material with a relative permittivity of .65 and a thickness of one.5875 mm with remarkable radius values. The CMPA was designed and simulated with the assistance of HFSS, utilizing substrate fabric with a relative permittivity of .65 and a thickness of 1.5875 mm, fed with probe feed, and the antenna simulation results are almost identical to those found in the literature[9]. The round patch antennas fed by coaxial probe were simulated with the help of HFSS, and the simulated results of the above antennas are provided, including skip again failure, VSWR, radiation types, and a benewiwireless comparison between element feeding and spherical patch antenna coaxial probe feeding.




Figure. 1 Edge feeding of CMPA




Figure. 2 Coaxial probe feeding of CMPA

In the whole space model assessment, the spherical patch antenna designs the parameters of the circular micro strip patch antenna for the dominating TM11 mode. The parameters are [1, 7-11]. Radius of the Patch (a) In the CMPA setup, the patch radius is the simplest parameter to monitor the resonant frequency. The radius of a patch (a) may be determined using the formula

$$a = \frac{F}{\sqrt{1 + \frac{2h}{\pi \cdot \epsilon_r \cdot F \left[\ln \left(\frac{F\pi}{2h} \right) + 1.7726 \right]}}}$$

$$F = \frac{8.791 \times 10^9}{f_r \cdot \sqrt{\epsilon_r}},$$

Where f_r is frequency, h is height of substrate, ϵ_r = dielectric constant of substrate.

1.1 Effective radius of patch (a_{eff}):

Because of fringing areas, the patch measurements tend electrically to be more than patch body dimensions. It is necessary to determine the powerful radius of the patch (a_{eff}) by way of

$$a_{eff} = a \sqrt{1 + q}$$

Where a is radius of patch.

Width of line: The width of micro strip line can be determined by

$$\frac{W1}{h} = \left[\frac{\frac{8\epsilon^4}{\epsilon^4 - 2} \ln \frac{W1}{h} < 2}{\frac{2}{\pi} \left[B - 1 - (2B - 1) + \frac{\epsilon_r - 1}{2\epsilon_r} \left[\ln(B - 1) + 0.39 - \frac{0.61}{\epsilon_r} \right] \right] \ln \frac{W1}{h} > 2} \right]$$

$$A = \frac{Z_0}{60} \sqrt{\frac{\epsilon_r + 1}{2}} + \frac{\epsilon_r - 1}{\epsilon_r + 1} \left(0.23 + \frac{0.11}{\epsilon_r} \right), B = \frac{377\pi}{2Z_0 \sqrt{\epsilon_r}},$$

Z₀ is Line Impedance. The distance of fifty ?? traces (W1) and transformer line width (W2) can be measured by using the above equation length of the sector wave transformer: until the width of the zone wave transformer is identified, the span of the field wave transformer can be estimated by means of the above equation period.

$$L = \frac{\lambda_d}{4} = \frac{\lambda_0}{4\sqrt{\epsilon_{r,eff}}}$$

$$\text{where, } \epsilon_{r,eff} = \frac{\epsilon_r + 1}{2} + \frac{\epsilon_r - 1}{2} \left(1 + \frac{12h}{W2} \right)^{-0.5},$$

λ_0 is free space wavelength, λ_d is wave length in dielectric substrate.

Conductance due to radiation losses (GR): Conductance due to Radiation losses (GR) can be determined by

$$G_R = \frac{2.39}{4 \cdot \mu_0 \cdot h \cdot f_r \cdot Q_R}$$

$$\text{where, } Q_R = \frac{4 \cdot a \cdot (\alpha_{11}^2 - 1) \cdot \epsilon_r^{\frac{3}{2}}}{h \cdot \alpha_{11}^3 \cdot F \left(\frac{\alpha_{11}}{\sqrt{\epsilon_r}} \right)^3}$$

ϵ_r is dielectric constant, $\alpha_{11} = 1.84118$, a is radius of circular patch.

Conductance due to dielectric losses (GD): The conductance due to dielectric losses (GD) can be given by

$$G_D = \frac{2.39 \cdot \tan \delta}{4 \cdot \mu_0 \cdot h \cdot f_r}$$

Conductance due to conduction (Ohmic) losses (GC): The conductance due to conduction losses (GC) is given by

$$G_C = \frac{2.39 \cdot \pi \cdot (\pi \cdot f_r \cdot \mu_0)^{\frac{3}{2}}}{4 \cdot h^2 \cdot \sqrt{\sigma}}$$

Where ζ is conductance of copper material (conductor used in design) Total conductance (GT) The combination of radiation losses, dielectric losses and ohmic losses is total conductance i.e.

$$G_T = G_R + G_D + G_C$$

Equivalent dielectric constant: An equivalent dielectric constant can be given by

$$\epsilon_{req} = \frac{1 + \epsilon_r}{2}$$

Input resistance at resonance ($R(\rho)$): Input resistance at resonance can be given by

$$R(\rho) = \frac{J_n^2 \left(\frac{ka}{\alpha_e} \right)}{G_T (\epsilon_{req}) \cdot J_n^2 (ka)}$$

Where, ρ = Feed distance from center of patch, $n=1$, $k = 2\pi/\lambda d$, $J_1(ka) = 0.5819$, $ka = 1.841$,

$$G_T (\epsilon_{req}) = G_R (\epsilon_{req}) + G_D + G_C$$

1.2 CMPA with edge feeding:

The patch antenna round micro strip fed by micro strip line feed (edge feed) is checked in Fig.2. The area wave transformer should be placed between the micro strip feed and the edge of the circular patch to maintain the impedances between them secure. W_1 is the micro strip line diameter, W_2 , L is the width and length of the transformer of the zone wave, h is the substrate peak, R is patch

radius.




Figure 3 Circular patch with edge feed.

RT Duroid5880 ($\epsilon_r=2.2$, $h=1.588$ mm) design calculations for CMPA are given under

Phase 1: Radius (a) willpower:

The patch radius is determined by replacing $h=1.588$ mm, $\epsilon_r=2.2$, $F=1.693$ with the calculated radius rate (a) of 1.597 cm in the equation.

Phase 2: Micro Strip Line Width (W1)

The micro strip line width (W1) is obtained by replacing $h=1.588$ mm, $\epsilon_r=2.2$, $Z_0=50$?? with the measured micro strip line price (W1) = 4.883 mm in the equation.

Phase 3: Conductance would power due to radiation losses (GR) The conductance due to radiation losses (GR) is obtained by removing $\mu_0 = 1.256$?? 10-6, $h = 1.588$ mm, $f_r = 3.5$ GHz, $a = 15.907$ mm, $\epsilon_r = 2.2$, $\alpha_{11} = 1.841$ The measured conductance fee due to radiation losses (GR) is .479 ?? 10-3Siemens in the calculation.

Phase 4: Conductance willpower due to dielectric losses (GD) The conductance due to dielectric losses (GD) is obtained in the equation by replacing $\mu_0 = 1.256$?? 10-6, $h = 1.588$ mm, $f_r = 3.5$ GHz and $\tan \delta = 0.0009$ (2.7). 7.703 ?? 10-5Siemens is the measured conductance price attributed to dielectric losses (GD).

Phase 5: conductance due to conduction losses (GC) The conductance due to conduction losses (GC) is obtained with the procedure of replacing $\mu_0 = 1.256$?? 10-6, $h = 1.588$ mm, $f_r = 3.5$ GHz and $\zeta = 5.8$?? 107Siemens/m in the equation (2.eight). The estimated conductance charge is 6,022-10-5 Siemens due to conduction losses (GC).

Phase 6: Conductance commitment due to common losses (GT) The full conductance due to fashionable losses (GT) is acquired by replacing $GC = 6.022$?? 10-5Siemens, $GD = 7.703$?? 10-5Siemens and $GR = 2.479$?? 10-3Siemens in the equation (2.nine). The behavioural fee related to general losses (GT) is two.616-10-3Siemens.

Phase 7: Self-control of the $\lambda/4$ transformer (ZC) impedance: The impedance of the $\lambda/4$ transformer is obtained by replacing $Z_0=50$ and

$Z_{in} = R_{in}$ (at resonance) = $1/GT = 382.26$ in the equation (2.4). 138.242 is the impedance of the area wave transformer (ZT).

Phase 8: $\lambda/4$ transformer width willpower (W2): The width of the $\lambda/4$ transformer antenna is obtained by substituting $h=1.588$ mm, $\epsilon_r = 2.2$, $Z_0 = 138.24$?? in the equation (2.three). The measured charge is 0,622 mm for the width of the wave area transformer line (W1).

Phase 9: Time of the transformer $\lambda/4$ (L): The length of the transformer $\lambda/4$ is obtained by replacing the resource $\lambda_{zero} = 85,714$ mm, = 1,706 with the equation $\lambda_{zero} = 85,714$ mm (2.5). The measured fee for the length of the $\lambda/4$ transformer (L) is 16.405 mm, r_{eff} All measurements of the CMPA fed through part feed are seen in Fig.4 for substrates utilizing RT/Duroid5880 ($\epsilon_r=2.2$, $h=1.588$ mm).




Figure 4 Edge feeding of CMPA with all dimensions

The patch parameters for substrates RT/Duroid5880 ($\epsilon_r=2.2$, $h=2.87$ mm) and FR4 epoxy ($\epsilon_r=2.2$, $h=2.87$ mm) were similarly designed using equations 1-9 above. However, with the help of utilizing certain measurements, the defined design frequency will not be implemented. The scale that can be taken to acquire a frequency of 3.5 GHz is seen in Desk 1. The patch antenna measurements for three impressive substrates are shown in Table 1..

Table 1 Patch parameters for CMPA with edge feeding for three substrates.

patch parameter	RT/Duroid5880 ($\epsilon_r=2.2$, $h=1.588$ mm)	RT/Duroid5880 ($\epsilon_r=2.2$, $h=2.87$ mm)	FR4 epoxy ($\epsilon_r=4.4$, $h=2.87$ mm)
patch radius (mm)	16.2	15.7	11.1
Quarter wave transformer length (mm)	16.41	16.41	12.595
quarter wave transformer width (mm)	0.609	1.104	0.456
50 ohm line width (mm)	4.883	8.825	5.49

1. Numerical results:

The CMPA was designed and simulated on the RT/Duroid5880 ($\epsilon_r=2.2$, $h=1.588$ mm) in accordance with Table 2.1's format requirements, and the simulation results are shown in Figs. five through nine.

The power ratio at the reception save you because of the incident wave to the intensity considered via load is shown in returned loss by transfer reduction. Return on Investment Loss

The location of the reflection coefficient.

The total of the reflected signal proportionate to the incident signal is the coefficient of reflection.

$$\Gamma = \frac{Z_L - Z_0}{Z_L + Z_0}$$

Where, Z_L = input impedance of antenna, Z_0 = characteristic impedance of feed line. The return loss is calculated by using equation. The return loss versus frequency plot is shown in Fig.5 for CMPA fed by edge feed.




Figure 5 Return loss versus Frequency plot for CMPA with edge feeding.

VSWR: It is the measure of mismatch between load and transmission line.

$$\text{VSWR} = \frac{1 + |\Gamma|}{1 - |\Gamma|}$$

The VSWR is calculated by using equation (2.12). The return loss versus frequency plot is shown in Fig.6 for CMPA with edge feeding.





Figure 6 VSWR versus Frequency of CMPA with edge feeding

E plain: miles represented by a plane parallel to the E-vector and containing the highest radiation path. In the critical beam, the angular distance between - three dB components may be taken as -three dB beam duration. The CMPA E plane pattern with component feed is proven to be Fig.7. A beam diameter of -3 dB is obtained at 760. With the help of using a plane parallel to the H-vector (orthogonal to E-plane) and containing the direction of most radiation, H is undeniable: it is well defined.



The -3 dB beam width of 76° is obtained




Figure 7 E plane pattern of CMPA with edge feed.

The gain pattern of CMPA with edge feed is shown in Fig.6. The maximum gain of 7.496 dB is obtained




Figure 8 Gain pattern of CMPA with edge feed.

In similar manner, the simulations have been carried out for Rogers RT/Duroid880 ($\epsilon_r = 2.2$, $h = 2.87$ mm) and FR4 epoxy ($\epsilon_r = 4.4$, $h = 2.87$ mm). The simulation results are summarized for these three substrates in Table 2.2 for 3.5 GHz.

Table Results of CMPA with edge feeding for three substrates

Parameter	RT/Duroid880 ($\epsilon_r = 2.2$, $h = 1.588$ mm)	RT/Duroid880 ($\epsilon_r = 2.2$, $h = 2.87$ mm)	FR4 epoxy ($\epsilon_r = 4.4$, $h = 2.87$ mm)
Gain (dB)	7.496	7.173	3.623
Return loss (dB)	-27.07	-26.64	-20.07
Bandwidth (MHz)	11.4	16.4	49.5
VSWR	1.09	1.09	1.22
Beam width in E plane	76°	78°	78°
Beam width in H plane	75°	70°	66°

A CMPA with quarter wave transformer feed was finished with a transfer back loss of -18 dB and recorded -24 dB[6] at 10 GHz after simulation. HFSS simulated a CMPA using the same measurements and produced a transfer back loss of -29 dB at 10.02 GHz.

2. CONCLUSION

This economic split contains the results of CMPA with regard to position feeding and coaxial feeding methods. Coaxial feeding had a higher rate of return failure than side feeding from desk 2.4. The CMPA's fed through coaxial probe were taken for the following pages.

3. FUTURE PERSPECTIVE

For the virtual values, a first-rate arrangement with possible values is provided. The antenna findings may include transportation with simulated consequences of improved settlement.

REFERENCES

1. Raj Kumar, P. Malathi and J.P. Shinde, "layout of circular Microstrip Patch with Spaced Dielectric Superstrates", worldwide Symposium on signs, systems and Electronics, ISSSE '07, pp: 315-317, 2007.
2. P.S.Kildal, "Definition of Artificially easy and difficult Surfaces for Electromagnetic waves", Electronics Letters, Vol.24, No. three, pp: 168-a hundred and seventy, 4th February 1988.
3. Dan Sievenpiper, Lijun Zhang, Romulo F.JimenezBroas, Nicholas G. Alexopolous and Eli Yablonovitch, "excessive-Impedance Electromagnetic Surfaces with forbidden FrequencyBand", IEEE Transactions on Microwave idea and techniques, vol. forty seven, No. 11, pp: 2059-2074, November 1999.
4. Z.Ying and P.S Kildal, "improvements of dipole, helix, spiral, microstrip patch and aperture antennas with ground planes with the aid of the usage of corrugated clean publications, 2008.
- surfaces", IEE proc.-Microw. antennas propag., Vol. 143, No. three, pp: 244-248, June 1996.
5. Hisamatsu Nakano, Kazuo Hitosugi, Naoki Tatsuzawa, Daisuke Togashi, Hiromaki and Junji Yamauchi, "effects on Radiation characteristics of the usage of a Corrugated Reflector With a Helical Antenna and an Electromagnetic Band-gap Reflector With a Spiral Antenna", IEEE Transactions on Antennas and Propagation, Vol.53, No.1, pp:191-199, 2005.
6. Bo Lv, Xinbo Wang, chuanZheng, JiangtaoHuangfu, Changzhi Li and Lixin Ran, "Radiation Enhancement for elegant Patch Antennas the usage of a loosely Grooved ground aircraft", IEEE ANTENNAS and Propagation Letters, Vol.11, pp: 604-607, 2012.
7. Emad El-Deen, S.H.Zainud-Deen, H.A.Sharshar and M.A.Binyamin, "The effect of the ground plane shape at the characteristics of rectangular Dielectric Resonator Antennas", IEEE Antennas and Propagation Society international Symposium, pp: 3013-3016, 2006.
8. Anders G. Derneryd, "evaluation of the Microstrip Disk Antenna detail", IEEE Transactions on Antennas and Propagation, Vol.27, No. wi-five, pp: 660-664, September 1979.
9. Mehmet Kara, "layout considerations for square microstrip antenna factors with numerous substrate thicknesses", Microwave and Optical generation Letters, Vol.19, No. 2, pp: 111-one hundred and twenty, October wi-fi 1998.
10. Yi Huang and Kevin Boyle, "Antennas from idea to exercise", Jhonwiley&sons Ltd. pu