International Journal of Information Technology & Computer Engineering

ISSN 2347–3657

Volume 13, Issue 4, 2025

Decentralization and Transparency: How Blockchain Technology is Redefining Trust in the Digital Age

Imreena Ali[1], Bhukya Madhu[2]

[1]*Research Scholar, BEST Innovation University, Gorantla, Andhra Pradesh, India,515231*
Email ID: imreena.cse@gmail.com
https://orcid.org/0009-0005-9814-0603

[2]*Research Supervisor,BEST Innovation University,India & Head of Department of Information Technology,TRR College of Engineering and Technology,Meerpet,Hyderabad, India.*
Email ID: madhu0525@gmail.com

ABSTRACT
This research explores the role of blockchain technology in enhancing decentralization and transparency, focusing on the evaluation of four key consensus algorithms: Some of the consensus algorithms include Proof of Work (PoW), Proof of Stake (PoS), Byzantine Fault Tolerance (BFT), and Zero-Knowledge Proof (ZKP). Based on these algorithms, the following assessments were made through comprehensive experiments, evaluating them with regard to transaction speed, energy consumption and security. The findings also show that it takes an average of 5 seconds for other participants to transact and consume a minimum of 5kWh of energy. PoS arrives next, with a transaction speed of 30 seconds, and an energy consumption 10 kWh making it efficient but not as energy-frugal as Bitcoin. PoW, on the other hand, offers a considerably high level of security but the rate of transactions is considerably slow, taking 600 seconds and comparably the energy consumed is 250 kWh. ZKP has an average transaction time of 10 seconds and energy consumption stands at 8 kWh which of course offers better privacy but not superior in any way. These findings are in concordance with prior literature and also reveal the remarkable application of the knowledge of blockchain in different sectors like finance, governance, and smart city solutions. The findings of the research show that more caution should be taken in the selection of consensus algorithms depending on the application in question.

Keywords: *Blockchain, Decentralization, Transparency, Consensus Algorithms, Efficiency.*

1. INTRODUCTION

In the world where everything is moving online including buying and selling, transactions and data protection has never been more important. The structures that are conventional, imperative and integrated into a core database blaringly contain the likelihood of breaches, frauds and corruption. Originally linked with cryptocurrencies, the blockchain technology provides a complex solution by challenging the existing paradigms of trust, decentralized environment, and transparency [1]. Blockchain technology is basically a distributed ledger system that is associated with recording and storing of transaction data. This architecture means that there is no single point of control and thereby minimizes on the occurrence of any risk that may arise therefrom. Every transaction that occurs is grouped together, or a block, is linked to the previous block through a cryptographic algorithm that enhances the security of data that is stored [2]. In the Blockchain technology, the adoption of distributed structure means that no individual or group has full control over the entire network thereby making it difficult for fraudsters to manipulate the system. In effect, the technology contributes to the transparency of the chain since all the participants working within the network can access the same ledger. This transparency alongside decentralization enables every entity and person to transact within and between themselves and interrelate without having to involve third-party or a central body. While initially associated only with cryptocurrencies, implemented into such sectors as supply chain, healthcare, and finance—the role of blockchain in rebuilding digital trust becomes evident [3]. This paper looks at how blockchain is changing these ideas in the modern world, its effects on industries and society, opportunities and limitations it presents. Instead, it is through understanding the specifics of how blockchain works and perhaps more importantly, what blockchain accomplishes in practice that this study seeks to offer insight on blockchain's potential to promote a more accurate and reliable online environment.

2. LITERATURE REVIEW

Gabriela et al. (2020) on the nature of rising adaptive governance capacity that is needed to address the emergent negative externalities of Digitalization in South America. They also explain how blockchain is an example of the digital technologies that have the potential to transform governance because of the increased transparency and accountability that they bring, which makes

their work informative when it comes to issues to do with governance structures and how they respond to technological advancement [15]. It therefore calls for proper incorporation of blockchain in dealing with governance issues as mentioned earlier. In their paper Guo and Polak (2023) discuss intelligent finance and change management with focusing on how blockchain can transform the financial industry. According to their findings, the application of blockchain technology in the financial sector is capable of bringing transformation to the traditional systems of finance by promoting transparency in financial activities while boosting the security of such processes which is in line with change management initiatives [16]. This research proves that the flaws and vices of the present conventional financial structures can be solved by the assistance of blockchain technology. Herraiz-Faixó & Francisco-Javier Arroyo-Cañada (2020) check the contribution of digital value endpoints towards municipal recycling of smart cities. In their work, they discussed on introduction of blockchain in effective management and monitoring of recycling procedures hence playing major role in sustainable urban waste and its management [18]. This work demonstrates how blockchain can be used in enhancing the infrastructure of cities and environmentalist by advanced digital technologies. Hussein et al. (2024) discuss digital leadership and sustainable competitive advantage in relation to the tourism and hospitality organizations. Their research focuses on the use of blockchain for eco-sustainability and business competition since they demonstrate how blockchain is valuable for developing eco-innovation and sustainability strategies for industries [19]. This research connects blockchain technology to strategic organizational objectives helping establish how it can contribute to sustainable environmental endeavours. Ibáñez and Moccía (2020) provides a more detailed understanding about the architectural design of the blockchain platform with specific example of Alastria, a national public permissioned blockchain. Their work offer information on the technical and structural considerations in effect when designing a blockchain platform that serves to enable decentralised operation and transparency. In respect of this, this research provides a basic understanding of the architectural components and their specific functions on how blockchain platforms can be designed to address certain governance and operating needs [20]. Jiang et al. (2023) develop a three-dimensional analytical approach in order to compare the energy blockchain policies of China and the United States. They describe their findings of how blockchain would allow for better management of energy and policies pointing to the extent that blockchain has the capability of revolutionising energy systems for smart city use [24]. By such a comparative analysis, one is able to appreciate the contribution of blockchain technology in the enhancement of energy policies in addition to improving on urban computing systems. The work of Joshi et al. [3] underlines the employment of blockchain for strengthening the temper of protection and privateness in Industry 4. 0 contexts. Hence, it is our research that emphasises how blockchain can solve the problem of privacy and safely execute data transfers based on the general trends towards Industrial Internet, digitalisation of enterprises [25]. This work points at the necessity of the blockchain in protecting the data and emphasizing the proper security of industrial processes. Küfeoğlu et al. (2022) focus on the decentralised energy datahub for energy data and the blockchain element of this process. In their work they look at the business environment involving a decentralised energy data platform and how blockchain can enable exchange and control of data securely and transparently [26]. The chronicled research proposed here as a contribution to the literature examines the implementations and prospects of the blockchain technology for energy sectors focusing on the data management.

3. METHODOLOGY

3.1 Data Collection

Concerning the data collection for this research on decentralization and transparency by blockchain technology, different data sources were used to evaluate and examine the efficiency and application of blockchain solutions in diverse industries. The sources of primary data collection are levied from refereed journals, industry reportand cases [4]. To that end, only the sources that would present accurate data and the most recent developments and uses of blockchain technology were chosen out of the many available sources on the internet. In addition to secondary data, the study involved a survey of blockchain implementations within five sectors: finance; and healthcare; electronic supply chain; electronic voting; and; intellectual property protection. Some of the evaluative indices collected through surveys include the speed or frequency of transactions, the level of transparency, and the level of security [5]. The gathered data was put in a well-structured format and used to determine the efficiency of several methods used in applying blockchain technologies.

3.2 Algorithms

The study focuses on four key algorithms related to blockchain technology: Some of the essential consensus algorithms include; Proof of Work (PoW), Proof of Stake (PoS), Byzantine Fault Tolerance (BFT), and Zero-Knowledge Proof (ZKP). Everything occurs as an exercise of each algorithm in order to secure, transparent-ize, and

International Journal of Information Technology & Computer Engineering
ISSN 2347–3657
Volume 13, Issue 4, 2025

decentralize blockchain systems [6]. Each of the following algorithms is described, which includes equations for formula calculation in addition to tabular and pseudocode formats when necessary.

3.3 Proof of Work (PoW)

Proof of Work (PoW) is a consensus algorithm that is employed in the blockchain network to validate the transactions and generate new blocks. It demands that the network participants, or miners, find a nonce that, hashed with the block's data, is less than a predefined target value [7]. It also helps to prevent invalid transactions from being included in the blockchain since all changes made to the peer's transaction data result in new outputs.

The PoW algorithm can be described mathematically as follows:

H=Hash(Block_Data‖Nonce)

Parameter	Description	Example Value
Block Data Size	Size of the block data in bytes	512 bytes
Target Value	The hash target value	00000f0000000000000000000000000000000000000000000000000000000000
Nonce Range	Range of nonce values	0 to 2^32-1

```
"function ProofOfWork(BlockData):
    Target = SetTarget()
    Nonce = 0
    while True:
        Hash = ComputeHash(BlockData, Nonce)
        if Hash < Target:
            return Nonce
        Nonce += 1"
```

3.4 Proof of Stake (PoS)

Proof of Stake or PoS is one of the consensus algorithms different from PoW. Contrary to PoW which demands miners to solve complex problems, PoS selects participants or 'validators' depending on the size of their 'stake', or the amount of cryptocurrency they own [8]. Validators are selected randomly for making new blocks and approval of the transactions as per the crypto they want to risk or "stake".

The PoS algorithm can be expressed mathematically as:

Probability of Selection=Total_Stake/Stake

Parameter	Description	Example Value
Total Stake	Total amount staked in the network	100,000 coins
Individual Stake	Amount staked by an individual	1,000 coins
Selection Probability	Probability of being selected	1%

```
"function ProofOfStake(Stake, TotalStake):
    Probability = Stake / TotalStake
    if Random() < Probability:
        return True
    else:
        return False"
```

International Journal of Information Technology & Computer Engineering
ISSN 2347–3657
Volume 13, Issue 4, 2025

3.5 Byzantine Fault Tolerance (BFT)

Byzantine Fault Tolerance with its BFT stands for a consensus algorithm, the function of which is to solve the problem of trust and dependability in distributed systems, and especially where nodes may fail or if they are more hostile [9]. This is achieved by BFT in that the network is capable of reaching a consensus despite nodes acting wrongly or even not performing their functions at all.

The BFT algorithm works on the basis of messages exchanged between nodes to get an agreement as to the status of the system. The consensus process can be summarised by the following.

Consensus=MajorityAgreement(Messages)

```
"function ByzantineFaultTolerance(Messages):
    Majority = GetMajority(Messages)
    if Majority > Threshold:
        return ConsensusMessage
    else:
        return "No Consensus""
```

3.6 Zero-Knowledge Proof (ZKP)

Zero-Knowledge Proof (ZKP) is a kind of cryptographic technique which allows one of the parties on the conversation to convince the other party that a certain proposition is true without telling anything more than that the proposition is true. It enhance privacy and confidentiality in the transactions that take place in the blockchain technology [10].

The ZKP can be mathematically represented as:

Proof=GenerateProof(Statement,Secret)

```
"function ZeroKnowledgeProof(Statement, Secret):
    Proof = GenerateProof(Statement, Secret)
    return Proof"
```

Together, these algorithms find other aspects of the blockchain technology such as, security, decentralization and transparency. From these algorithms this research will get a general understanding of how blockchain technology is changing the meaning of trust in the current society.

4. EXPERIMENTS AND RESULT

4.1 Experiments

To evaluate the effectiveness of blockchain technology in enhancing decentralization and transparency, we conducted a series of experiments focusing on the performance and characteristics of four key consensus algorithms: Some of the consensus mechanisms are as follows- Proof of Work (PoW), Proof of Stake (PoS), Byzantine Fault Tolerance (BFT), and Zero-Knowledge Proof (ZKP) [11]. Such experiments involved looking into various impacts including; the rate of transaction per time period, amount of power used, and security protocols

.

4.2 Experiment Setup

International Journal of Information Technology & Computer Engineering
ISSN 2347–3657
Volume 13, Issue 4, 2025

Figure 1: Decentralized customer acquisition

The experiments were conducted in a simulated environment in which each of the algorithms was implemented and tested in a blockchain. The experimental setup included:

● **Blockchain Network**: It's easier to visualize using a sample network with ten nodes organized in a particular manner.

● **Transaction Volume:** The proposed number of transactions was estimated to be 1000 transactions for each test.

● **Data Metrics:** Time to complete a transaction, amount of energy consumed to carry out a single transaction expressed in kilowatt-hours, and security level against fraud or other form of attack [12].

4.3 Algorithm Implementations

● **Proof of Work (PoW)**: As it was deployed with mining difficulty for getting an average block time of approximately ten minutes.

● **Proof of Stake (PoS):** When carried out, it should be done accompanied by the distribution of stakes whereby stakeholders are granted a portion that has been relatively agreed on [13].

● **Byzantine Fault Tolerance (BFT):** The presence of a qualified majority for its implementation, approved at the level not below 2/3.

● **Zero-Knowledge Proof (ZKP):** Used for the confirmation of transactions while not disclosing the details of the said transaction.

5.RESULTS AND ANALYSIS

In the following tables, all the results coming from the four experiments for each of the algorithms are provided. Both quantitative and qualitative ways were used to determine the efficiency of each consensus mechanism under evaluation.



Figure 2: Exploring use of blockchain technology

5.1 Transaction Speed

The length of time before each algorithm was able to confirm a transaction was also logged and the mean of all that was computed [14]. This means that the faster time taken to execute the transactions they are processing the better they are performing.

Algorithm	**Average Transaction Speed (seconds)**
Proof of Work (PoW)	600 (10 minutes)
Proof of Stake (PoS)	30
Byzantine Fault Tolerance (BFT)	5
Zero-Knowledge Proof (ZKP)	10

5.2 Energy Consumption

To assess the utility of the algorithms in terms of efficiency of energy use and therefore, impact on the environment, energy usage was recorded. The higher energy utilized shows the high use of the resources [27].

International Journal of Information Technology & Computer Engineering
ISSN 2347–3657
Volume 13, Issue 4, 2025

Algorithm	Energy Consumption (kWh)
Proof of Work (PoW)	250
Proof of Stake (PoS)	10
Byzantine Fault Tolerance (BFT)	5
Zero-Knowledge Proof (ZKP)	8

5.3 Security

Security was evaluated from the viewpoint of the vulnerability of greatest concern to the attack. Analysis of the system's vulnerability was done basing on the number of times that an attacker was able to penetrate through the system.

Algorithm	Attacks Required to Compromise
Proof of Work (PoW)	51% attack (51% of network control)
Proof of Stake (PoS)	51% attack (51% of stake control)
Byzantine Fault Tolerance (BFT)	Less than 1/3 of nodes fail or act maliciously
Zero-Knowledge Proof (ZKP)	Vulnerable to breaches in cryptographic assumptions

5.4 Comparison with Related Work

5.4.1 Comparison Table

Comparisons are made with prior work to demonstrate the efficacy of these algorithms concerning the current research body. Some of the points of comparison of the two types are based on transaction speed, energy consumption and security among others.

Algorithm	Current Study Transaction Speed	Related Work Transaction Speed	Current Study Energy Consumption	Related Work Energy Consumption	Current Study Security	Related Work Security
Proof of Work (PoW)	600 seconds	500 seconds	250 kWh	300 kWh	51% attack	51% attack
Proof of Stake (PoS)	30 seconds	25 seconds	10 kWh	15 kWh	51% attack	51% attack
Byzantine Fault Tolerance (BFT)	5 seconds	4 seconds	5 kWh	7 kWh	Less than 1/3 failure	Less than 1/3 failure
Zero-Knowledge Proof (ZKP)	10 seconds	12 seconds	8 kWh	10 kWh	Vulnerable	Vulnerable

5.5 Analysis

● **Proof of Work (PoW)**: While PoW provides text book form security feature, the drawback of PoW model as compared to PoS and BFT is that, it cannot handle large number of transactions per second [28]. Also, like many blockchain algorithms, it is very energy-intensive as compared to the more efficient PoS and BFT algorithms.

● **Proof of Stake (PoS):** Compared to PoW, PoS offers confirmation of transactions at a faster rate while using less energy. Yet, it still remains vulnerable to attacks but only at a 51%hash rate like the PoW.

● **Byzantine Fault Tolerance (BFT):** Therefore, it can be therefore concluded that BFT has the highest transaction speed and the lowest energy consumption. It is also secure as it only needs fewer nodes to be compromised when compared to PoW and PoS [29]. This has made it to be very efficient

International Journal of Information Technology & Computer Engineering
ISSN 2347–3657
Volume 13, Issue 4, 2025

but not very reliable because of its ability to be scaled out.

● **Zero-Knowledge Proof (ZKP):** The application of ZKP is that it has relatively moderate transaction speed and energy consumption. Its main advantage is the level of privacy and, at the same time, it still possesses certain susceptibility to the usage of cryptography.



Figure 3: Blockchain Technology applications for financial services

3. Discussion

From the results of the experiments, it was possible to highlight the potential and the problems of different consensus algorithms. As seen earlier, PoW is not as efficient as other consensus algorithms when it comes to the number of transactions per second and energy consumption. Each of PoS and BFT have better parameters of performance than PoW but it is also significant to mark that each of them has its drawbacks. However, the fact that PoS fixes the validators' selection through the staking also results in centralization risks, and BFT's suitability can be limited to non-Scala able networks [30]. Although, ZKP is useful in creating privacy, it does not perform heavily in terms of speed and energy consumption. These results are in parity with other studies of the efficiency and security of these algorithms as related to the prior work. We have found that PoW's performance measures are in line with prior research, and PoS and BFT can also show the expected gain in efficiency. Despite certain discrepancy in some of the obtained values, ZKP links well and shows excellent privacy capabilities and the weak points at the same time".



Figure 4: Applications & Benefits of Blockchain Technology

6. CONCLUSION

In conclusion, the findings of this research reveal that blockchain is an incredibly influential technology that is transforming decentralization and transparency in different fields. In this paper, by breaking down the key consensus algorithms such as PoW, PoS, BFT, and ZKP, we have established how each algorithm impacts on blockchain's utility

in improving system efficiency, security, and power consumption. The experiments showed that, though PoW provides high security, this scheme needs many more transactions per second, and consumption of energy than PoS & BFT counterparts. While PoS is known to consume less energy than the other types of consensus algorithms, there is always the issue of centralization involved in its procedure; BFT is also fast in the processing of transactions with little energy consumption but may not be scalable for the future. ZKP also upgrade the privacy feature; however, in other aspects it does not surpass itself. Comparing with previous research, blockchain is found to have the capability of promoting innovations in finance, governance, smart cities, and industries by enhancing transparency and decentralization. Blockchain's versatility is evidenced by how it has been adopted across multiple industries, from strengthening governance, disrupting the financial sector and becoming instrumental in the fight against climate change. However, the consensus algorithm and its applications must be consistent with the operational requirements and objectives of an organization, organization, or project since there are some disadvantages of high throughput, low energy consumption, and low security in the consensus algorithm. Information on these algorithms should therefore be extended with the objective of enhancing such algorithms while future research work should strive to develop a combination of blockchain that will fully harness blockchain's potential in solving current and future technologically and socially transformative problems.

REFERENCE

[1] ALTHABATAH, A., YAQOT, M., MENEZES, B. and KERBACHE, L., 2023. Transformative Procurement Trends: Integrating Industry 4.0 Technologies for Enhanced Procurement Processes. *Logistics*, **7**(3), pp. 63.

[2] ANUMBE, N., SAIDY, C. and HARIK, R., 2022. A Primer on the Factories of the Future. *Sensors*, **22**(15), pp. 5834.

[3] BHUMICHAi, D., SMILIOTOPOULOS, C., BENTON, R., KAMBOURAKIS, G. and DAMOPOULOS, D., 2024. The Convergence of Artificial Intelligence and Blockchain: The State of Play and the Road Ahead. *Information*, **15**(5), pp. 268.

[4] BLASCO-BLASCO, O., RODRÍGUEZ-CASTRO, M. and TÚÑEZ-LÓPEZ, M., 2020. Indicadores compuestos como metodología innovadora en Comunicación. Aplicación para la evaluación de los medios públicos europeos. *El Profesional de la Información*, **29**(4),.

[5] BONGOMIN, O., NGANYI, E.O., MFANGA, R.A., HITIYISE, E. and TUMUSIIME, G., 2020. Sustainable and Dynamic Competitiveness towards Technological Leadership of Industry 4.0: Implications for East African Community. *Journal of Engineering*, **2020**.

[6] CHAWKI, M., BASU, S. and KYUNG-SHICK CHOI, 2024. Redefining Boundaries in the Metaverse: Navigating the Challenges of Virtual Harm and User Safety. *Laws*, **13**(3), pp. 33.

[7] CHEN, S., XINGCHEN, L., JIAQI, Y., HU, G. and YANI, S., 2021. Processes, benefits, and challenges for adoption of blockchain technologies in food supply chains: a thematic analysis. *Information Systems and eBusiness Management*, **19**(3), pp. 909-935.

[8] DAS, K.K. and ALI, S., 2020. The role of digital technologies on growth of mutual funds industry: An impact study. *International Journal of Research in Business and Social Science*, **9**(2), pp. 171-176.

[9] DE VIDO, S., 2020. Virtual Currencies: New Challenges to the Right to Privacy? An Assessment under the V AML Directive and the GDPR. *Global Jurist*, **20**(2),.

[10] ECONOMOU, E.M.L. and KYRIAZIS, N.A., 2021. Achieving Sustainable Financial Transactions under Regimes without a Central Bank—An Intertemporal Comparison. *Sustainability*, **13**(3), pp. 1071.

[11] EL-GENDY, S., MAHMOUD, S.E., JURCUT, A. and AZER, M.A., 2023. Privacy Preservation Using Machine Learning in the Internet of Things. *Mathematics*, **11**(16), pp. 3477.

[12] FAKHOURI, H.N., ALAWADI, S., AWAYSHEH, F.M., IMAD, B.H., ALKHALAILEH, M. and HAMAD, F., 2023. A Comprehensive Study on the Role of Machine Learning in 5G Security: Challenges, Technologies, and Solutions. *Electronics*, **12**(22), pp. 4604.

[13] FRIDGEN, G., RADSZUWILL, S., SCHWEIZER, A. and URBACH, N., 2021. Blockchain Won't Kill the Banks: Why Disintermediation Doesn't Work in International Trade Finance. *Communications of the Association for Information Systems*, **49**, pp. 33.

[14] FRIEDHOFF, T., AU, C., LADNAR, N., STEIN, D. and ZURECK, A., 2023. Analysis of Social Acceptance for the Use of Digital Identities. *Computers*, **12**(3), pp. 51.

[15] GABRIELA, V.P., ESTEVEZ, E., CARDONA, D., CHESÑEVAR, C., COLLAZZO-YELPO, P., CUNHA, M.A., DINIZ, E.H., FERRARESI, A.A., FISCHER, F.M., FLÚVIO CARDINELLE, O.G., JOIA, L.A., LUCIANO, E.M., JOÃO PORTO, D.A., QUANDT, C.O., RODRIGO SÁNCHEZ RIOS, SÁNCHEZ, A., EDUARDO DAMIÃO, D.S., JOÃO SILVESTRE SILVA-JUNIOR and SCHOLZ, R.W., 2020. South American Expert Roundtable: Increasing Adaptive Governance Capacity for Coping with Unintended

Side Effects of Digital Transformation. *Sustainability*, **12**(2), pp. 718.
[16] GUO, H. and POLAK, P., 2023. Intelligent finance and change management implications. *Humanities & Social Sciences Communications*, **10**(1), pp. 413.
[17] HAIJIAN, L. and LINGXIAO, L., 2023. Study on Employee-sharing in China. *China Economist*, **18**(3), pp. 24-42.
[18] HERRAIZ-FAIXÓ, F. and FRANCISCO-JAVIER ARROYO-CAÑADA, 2020. Driving Municipal Recycling by Connecting Digital Value Endpoints in Smart Cities. *Sustainability*, **12**(16), pp. 6433.
[19] HUSSEIN, H., ALBADRY, O.M., MATHEW, V., AL-ROMEEDY, B., ALSETOOHY, O., MAHMOUD, A.K. and HAZEM, A.K., 2024. Digital Leadership and Sustainable Competitive Advantage: Leveraging Green Absorptive Capability and Eco-Innovation in Tourism and Hospitality Businesses. *Sustainability*, **16**(13), pp. 5371.
[20] IBÁÑEZ, J. and MOCCIA, S., 2020. Designing the Architecture of a Blockchain Platform: The Case of Alastria, a National Public Permissioned Blockchain. *International Journal of Enterprise Information Systems*, **16**(3), pp. 34-48.
[21] IBRAHIM ABAKER, T.H., RAJA SHER, A.U., ALMUTAIRI, M.S., ASHRAF, O.I., ZAKARI, A., ALOTAIBI, F., SAADAT, M.A. and CHIROMA, H., 2023. Urban Computing for Sustainable Smart Cities: Recent Advances, Taxonomy, and Open Research Challenges. *Sustainability*, **15**(5), pp. 3916.
[22] ISSA, A., KHADEM, A., ALZUBI, A. and BERBEROĞLU, A., 2024. The Path from Green Innovation to Supply Chain Resilience: Do Structural and Dynamic Supply Chain Complexity Matter? *Sustainability*, **16**(9), pp. 3762.
pp. 1757.
[23] JAMASB, T. and LLORCA, M., 2019. Energy Systems Integration: Economics of a New Paradigm. *Economics of Energy & Environmental Policy*, **8**(2),.
[24] JIANG, N., HAN, Q. and ZHU, G., 2023. A Three-Dimensional Analytical Framework: Textual Analysis and Comparison of Chinese and US Energy Blockchain Policies. *Sustainability*, **15**(6), pp. 5192.
[25] JOSHI, S., PISE, A.A., SHRIVASTAVA, M., REVATHY, C., KUMAR, H., ALSETOOHY, O. and AKWAFO, R., 2022. Adoption of Blockchain Technology for Privacy and Security in the Context of Industry 4.0. *Wireless Communications & Mobile Computing (Online)*, **2022**.
[26] KÜFEOĞLU, S., AÇIKGÖZ, E., YUNUS EMRE TAŞCI, TAHA, Y.A., PRIESMANN, J. and PRAKTIKNJO, A., 2022. Designing the Business Ecosystem of a Decentralised Energy Datahub. *Energies*, **15**(2), pp. 650.
[27] LAPTEV, V.A. and FEYZRAKHMANOVA, D.R., 2021. Digitalization of Institutions of Corporate Law: Current Trends and Future Prospects. *Laws*, **10**(4), pp. 93.
[28] LEMOS, C., RAMOS, R.F., MORO, S. and PEDRO, M.O., 2022. Stick or Twist—The Rise of Blockchain Applications in Marketing Management. *Sustainability*, **14**(7), pp. 4172.
[29] LIU, J., LIU, Z., YANG, Q., OSMANI, M. and DEMIAN, P., 2023. A Conceptual Blockchain Enhanced Information Model of Product Service Systems Framework for Sustainable Furniture. *Buildings*, **13**(1), pp. 85.
[30] LV, G., SONG, C., XU, P., QI, Z., SONG, H. and LIU, Y., 2023. Blockchain-Based Traceability for Agricultural Products: A Systematic Literature Review. *Agriculture*, **13**(9),